




Non Locking System



Quality | Service | Innovation

Since 2017



1st Floor, Murlidhar Complex,
Surat, Gujarat - India



0261 2424664
+91 7016902738



www.nectarmeditech.com
info@nectarmeditech.com

3.5 MM - NON LOCKING SYSTEM

3.5 MM DCP SMALL PLATE



HOLES :- 4, 5, 6, 7, 8, 9, 10, 11,
12, 13, 14

TYPE :- SS / TT

3.5 MM LC - DCP SMALL PLATE



HOLES :- 4, 5, 6, 7, 8, 9, 10, 11,
12, 13, 14

TYPE :- SS / TT

3.5 MM ONE THIRD TUBULAR PLATE



HOLES :- 3, 4, 5, 6, 7, 8, 9, 10,
11, 12

TYPE :- SS / TT

3.5 MM ONE THIRD TUBULAR PLATE WITH COLLAR



HOLES :- 3, 4, 5, 6, 7, 8, 9, 10,
11, 12

TYPE :- SS / TT

**3.5 MM CURVED RECONSTRUCTION PLATE
DC HOLES**



HOLES :- 5, 6, 7, 8, 9, 10, 11,
12, 13, 14, 15, 16

TYPE :- SS / TT

**3.5 MM STRAIGHT RECONSTRUCTION
PLATE DC HOLES**



HOLES :- 5, 6, 7, 8, 9, 10, 11,
12, 13, 14, 15, 16

TYPE :- SS / TT

**3.5 MM SMALL T - PLATE RIGHT ANGLE
3 HEAD HOLES**



HOLES :- 3, 4, 5, 6, 7, 8, 9, 10

TYPE :- SS / TT

**3.5 MM SMALL T - PLATE RIGHT ANGLE
4 HEAD HOLES**



HOLES :- 3, 4, 5, 6, 7, 8, 9, 10

TYPE :- SS / TT

3.5 MM - NON LOCKING SYSTEM

3.5 MM SMALL T - PLATE OBLIQUE ANGLE
3 HEAD HOLES




HOLES :- 3, 4, 5, 6, 7, 8, 9, 10
TYPE :- SS / TT

3.5 MM Y RECONSTRUCTION PLATE



HOLES :- 6, 9, 12
TYPE :- SS / TT

3.5 MM CLOVERLEAF PLATE



HOLES :- 3, 4, 5, 6, 7, 8, 9, 10,
11, 12
TYPE :- SS / TT

3.5 MM CALCANEAL PLATE



HOLES :- 60, 70
TYPE :- SS / TT


3.5 MM - NON LOCKING SYSTEM SUPPORTED SCREWS AND DRILL BITS

3.5 MM CORTICAL SCREW SELF TAPPING



LENGTH :- 10 TO 70 MM (DIFF. 2 MM)
TYPE :- SS / TT
DRILL BIT :- 2.0 MM
DRILL & TAP SLEEVE :- 2.5 / 3.5 MM
BONE TAP :- 3.5 MM

4.0 MM CANCELLOUS SCREW FULLY THREADED



LENGTH :- 10 TO 30 MM (DIFF. 2 MM)
LENGTH :- 35 TO 75 MM (DIFF. 5 MM)
TYPE :- SS / TT
DRILL & TAP SLEEVE :- 2.0 / 4.0 MM
BONE TAP :- 4.0 MM

4.0 MM CANCELLOUS SCREW PARTIALLY THREADED




LENGTH :- 10 TO 30 MM (DIFF. 2 MM)
LENGTH :- 35 TO 75 MM (DIFF. 5 MM)
TYPE :- SS / TT
DRILL & TAP SLEEVE :- 2.0 / 4.0 MM
BONE TAP :- 4.0 MM

3.5 MM MALLEOLAR SCREW SELF TAPPING



LENGTH :- 20 TO 70 MM (DIFF. 5 MM)
TYPE :- SS / TT

3.5 MM - NON LOCKING SYSTEM



DHS / DCS INSTRUMENT SYSTEM

4.5 MM – NON LOCKING SYSTEM

4.5 MM DCP NARROW PLATE



HOLES :- 5, 6, 7, 8, 9, 10, 11,
12, 13, 14, 15, 16
TYPE :- SS / TT

4.5 MM DCP BROAD PLATE



HOLES :- 5, 6, 7, 8, 9, 10, 11,
12, 13, 14, 15, 16
TYPE :- SS / TT

4.5 MM LC - DCP NARROW PLATE




HOLES :- 5, 6, 7, 8, 9, 10, 11,
12, 13, 14, 15, 16
TYPE :- SS / TT

4.5 MM LC - DCP BROAD PLATE




HOLES :- 5, 6, 7, 8, 9, 10, 11,
12, 13, 14, 15, 16
TYPE :- SS / TT

4.5 MM SEMI TUBULAR PLATE




HOLES :- 3, 4, 5, 6, 7, 8, 9, 10,
11, 12
TYPE :- SS / TT

4.5 MM CURVED RECONSTRUCTION PLATE
DC HOLES



HOLES :- 5, 6, 7, 8, 9, 10, 11,
12, 13, 14, 15, 16
TYPE :- SS / TT

4.5 MM STRAIGHT RECONSTRUCTION
PLATE DC HOLES



HOLES :- 5, 6, 7, 8, 9, 10, 11,
12, 13, 14, 15, 16
TYPE :- SS / TT

4.5 MM T - PLATE



HOLES :- 4, 5, 6, 7, 8, 9, 10, 11,
12
TYPE :- SS / TT

4.5 MM - NON LOCKING SYSTEM

4.5 MM T - BUTTRESS PLATE



HOLES :- 4, 5, 6, 7, 8, 9, 10, 11,
12
TYPE :- SS / TT

4.5 MM L - BUTTRESS PLATE




HOLES :- 4, 5, 6, 7, 8, 9, 10, 11,
12
ANGLED :- LEFT / RIGHT
TYPE :- SS / TT

4.5 MM DCP CONDYLAR BUTTRESS PLATE




HOLES :- 5, 7, 9, 11, 13, 15
ANGLED :- LEFT / RIGHT
TYPE :- SS / TT

4.5 MM LC - DCP CONDYLAR BUTTRESS PLATE



HOLES :- 5, 7, 9, 11, 13, 15
ANGLED :- LEFT / RIGHT
TYPE :- SS / TT

4.5 MM Y RECONSTRUCTION PLATE



HOLES :- 6, 9, 12
TYPE :- SS / TT

**4.5 MM LENGTHENING NARROW PLATE
8 HOLES**



LENGTH :- 30, 40, 50, 60, 70,
80
TYPE :- SS / TT

**4.5 MM LENGTHENING BROAD PLATE
10 HOLES**



LENGTH :- 50, 60, 70, 80, 90,
100, 110, 120
TYPE :- SS / TT

4.5 MM PROXIMAL TIBIA PLATE



HOLES :- 4, 6, 8, 10, 12, 14
ANGLED :- LEFT / RIGHT
TYPE :- SS / TT


4.5 MM – NON LOCKING SYSTEM

4.5 MM DCP LATERAL TIBIAL HEAD BUTTRESS PLATE




HOLES : 5, 7, 9, 11, 13
ANGLED : LEFT / RIGHT
TYPE : SS / TT

4.5 MM LC - DCP LATERAL TIBIAL HEAD BUTTRESS PLATE




HOLES : 5, 7, 9, 11, 13
ANGLED : LEFT / RIGHT
TYPE : SS / TT

4.5 MM SPOON PLATE



HOLES : 5, 6, 7, 8, 9, 10, 11,
12, 13, 14, 15, 16
TYPE : SS / TT

4.5 MM HOOK PLATE



HOLES : 4
TYPE : SS / TT

4.5 MM DCP COBRA HEAD PLATE



HOLES : 8, 9, 10, 11
TYPE : SS / TT

4.5 MM 135° DHS PLATE LONG BARREL - DC HOLES



HOLES : 3, 4, 5, 6, 7, 8, 9, 10,
11, 12, 13, 14
TYPE : SS / TT

4.5 MM 130° DHS PLATE LONG BARREL - DC HOLES



HOLES : 3, 4, 5, 6, 7, 8, 9, 10,
11, 12, 13, 14
TYPE : SS / TT

4.5 MM 135° DHS PLATE SHORT BARREL - DC HOLES



HOLES : 3, 4, 5, 6, 7, 8, 9, 10,
11, 12, 13, 14
TYPE : SS / TT

4.5 MM - NON LOCKING SYSTEM

**4.5 MM 130° DHS PLATE SHORT BARREL
- DC HOLES**




HOLES :- 3, 4, 5, 6, 7, 8, 9, 10,
11, 12, 13, 14
TYPE :- SS / TT

**4.5 MM 135° DHS PLATE LONG BARREL
- ROUND HOLES**



HOLES :- 3, 4, 5, 6, 7, 8, 9, 10,
11, 12, 13, 14
TYPE :- SS / TT

**4.5 MM 130° DHS PLATE LONG BARREL
- ROUND HOLES**



HOLES :- 3, 4, 5, 6, 7, 8, 9, 10,
11, 12, 13, 14
TYPE :- SS / TT

**4.5 MM 135° DHS PLATE SHORT BARREL
- ROUND HOLES**




HOLES :- 3, 4, 5, 6, 7, 8, 9, 10,
11, 12, 13, 14
TYPE :- SS / TT

**4.5 MM 130° DHS PLATE SHORT BARREL
- ROUND HOLES**




HOLES :- 3, 4, 5, 6, 7, 8, 9, 10,
11, 12, 13, 14
TYPE :- SS / TT

4.5 MM 95° DCS PLATE - DC HOLES



HOLES :- 4, 5, 6, 7, 8, 9, 10,
11, 12, 13, 14
TYPE :- SS / TT

4.5 MM 95° DCS PLATE - ROUND HOLES



HOLES :- 4, 5, 6, 7, 8, 9, 10,
11, 12, 13, 14
TYPE :- SS / TT

**4.5 MM 120° DOUBLE ANGLE DCS PLATE
- DC HOLES**



HOLES :- 4, 5, 6, 7, 8
TYPE :- SS / TT

4.5 MM - NON LOCKING SYSTEM SUPPORTED SCREWS AND DRILL BITS

4.5 MM CORTICAL SCREW SELF TAPPING



DRILL BIT



LENGTH :- 14 TO 70 MM (DIFF. 2 MM)
TYPE :- SS / TT
DRILL BIT :- 3.2 MM
DRILL & TAP SLEEVE :- 3.2 / 4.5 MM
BONE TAP :- 4.5 MM

6.5 MM CANCELLOUS SCREW 16 MM THREADED



DRILL BIT



LENGTH :- 25 TO 110 MM (DIFF. 5 MM)
TYPE :- SS / TT
DRILL BIT :- 3.2 MM, 4.5 MM
DRILL & TAP SLEEVE :- 3.2 / 6.5 MM
BONE TAP :- 6.5 MM

6.5 MM CANCELLOUS SCREW 32 MM THREADED



DRILL BIT



LENGTH :- 40 TO 110 MM (DIFF. 5 MM)
TYPE :- SS / TT
DRILL BIT :- 3.2 MM, 4.5 MM
DRILL & TAP SLEEVE :- 3.2 / 6.5 MM
BONE TAP :- 6.5 MM

6.5 MM CANCELLOUS SCREW FULLY THREADED



DRILL BIT




LENGTH :- 25 TO 110 MM (DIFF. 5 MM)
TYPE :- SS / TT
DRILL BIT :- 3.2 MM, 4.5 MM
DRILL & TAP SLEEVE :- 3.2 / 6.5 MM
BONE TAP :- 6.5 MM

4.5 MM MALLEOLAR SCREW SELF TAPPING



LENGTH :- 20 TO 100 MM (DIFF. 5 MM)
TYPE :- SS / TT

4.5 MM – LARGE FRAGMENT INSTRUMENT SET (BASIC)



4.5 MM LARGE FRAGMENT INSTRUMENT SYSTEM (BASIC)



Nectar Meditech is an independently owned company established in 2017 by two experienced doctors to create high-quality orthopedic implants, surgical instruments, and hospital-related products.

Managed by a consultant anesthesiologist and family physician, the company provides knowledge of its products, optimum utility training, and timely delivery. With a crystal clear foresight and innovative vision, the company aims to deliver the most innovative and optimum quality products with the best service to its customers worldwide.

Phone:

+91 7016902738
0261 2424664

Mail:

info@nectarmeditech.com
export@nectarmeditech.com

Address:

1st Floor, Murlidhar Complex, Opp. Railway Station, Near Hotel Sheelal, Surat, Gujarat-India

Website

www.nectarmeditech.com

Thanks for Watching!